



ULTRACORE

Non-combustible Aluminium Core Panel

Description

ULTRACORE manufactured by BLUECHIP is a Deemed-to-Satisfy (DtS) non-combustible aluminium panel when tested to AS 1530.1 and AS 1530.3 as per the requirements of the NCC 2019, Clause C1.9(e) (vii). It has also been tested by Exova Warringtonfire to BS 8414 and AS 5113 full-scale testing, proving it does not contribute to the spread fire. Visually, ULTRACORE aluminium core panel looks the same as traditional aluminium composite panel but with zero combustible core content (0%) meaning it achieves the lowest risk rating, category D, from the Insurance Council of Australia.

Product Benefits



PROVEN V-GROOVE DURABILITY

Unlike SOLID aluminium panels, ULTRACORE can demonstrate 40 years of proven corner durability when using the common v-groove folding system. This is because the front skin is not impacted when v-grooving.



AS 1530.1 NON-COMBUSTIBLE

ULTRACORE is one of the few aluminium panels globally that is Deemed-to-Satisfy non-combustible when tested to AS 1530.1 and AS 1530.3 in accordance with the NCC 2019 Clause C1.9(e)(vii) requirements.



AS 5113 FIRE TESTING

ULTRACORE is Deemed-to-Satisfy noncombustible so does not require further testing. However it has been tested to AS 5113 fullscale testing by Exova Warringtonfire, proving it does not contribute to the spread of fire.



ZERO POLYETHYLENE (0%)

Unlike most other aluminium panel products including FR, Plus, A2 and NC type panels, the ULTRACORE aluminium core panel contains ZERO percent flammable polyethylene (0%) and each lamina is 100% non-combustible.



LESS THERMAL CONDUCTIVITY

ULTRACORE aluminium core panel has thermal conductivity of 2.54 W/mK compared to 205 W/mk for SOLID aluminium panel. This means 80x less heat transfer into the building for greater fire safety and section J compliance.



FASTER FABRICATION TIME

Compared to solid aluminium panel, ULTRACORE panel is much more cost-effective, faster and easier to fabricate on CNC machines using the well-proven z-angle cassette system with concealed mechanical fixings.



OIL-CANNING RESISTANCE


Oil-canning is the uneven distribution of tension in SOLID aluminium panels which results in a rippling effect on the facade. The superior mechanical properties of ULTRACORE guarantees against oil-canning.



LESS CARBON FOOTPRINT

ULTRACORE aluminium core panel uses approximately 50% less aluminium per m2 than SOLID aluminium panels for much less carbon footprint and it is 50% lighter for signifigant structural and labour savings.


Product Range



UITRACORE







ULTRACORE Metallic Colours

ULTRACORE ULTRACORE
Solid / Matt Colours Sparkling Colours

ULTRACORE Chromatic Colours

ULTRACORE Imitation Finishes

Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
ULTRACORE Metallic Stock Colours UC9701, UC9205, UC9134, UC9137, UC9308, UC4150, UC5292, UC9809	2500, 3200, 4000 x 1500mm	Stock	1 Sheet
ULTRACORE Solid Stock Colours UC1005, UC1025, UC9902, UC1255, UC1270, UC9130, UC1590, UC1460, UC1140, UC1190, UC1677	2500, 3200, 4000 x 1500mm	Stock	1 Sheet
ULTRACORE Non-stock, BCG & Custom Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1500mm	8-10 Weeks	300m²
ULTRACORE Matt, Sparkling, Chromatic & Imitation Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1500mm	8-10 Weeks	300m²

System Components



AS 1530.1 Sarking









STUDTEK Steel Sub-framing

EXTRUSIONS Z-angles & Trims

TAPES & GASKETS Foil & Foam Tapes

JOINT SEALANT Prolastik & Sikaflex

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.





ULTRACORE

Colour Chart

(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.

Metallic Colours



UC9701 Sterling UC9205



Champagne Metallic (s)



Silver Metallic Grey Metallic (s) Metallic (s)



UC9134 Smoke UC9137 Dark UC9308 Bronze UC4344



Medium Bronze Metallic (s)

Metallic (s)

UC9809 Copper Metallic Tangerine





UC4420 Blue UC9031 Jade Grey Metallic



Solid Colours



White (s)

Gloss (s)

UC1005 Arctic UC1025 Arctic UC9902 Clean UC1255 White (s)



Volcanic Grey (s) Grey (s)





Black (s)





Green (s)



UC1460 Royal Blue (s)



Yellow (s)



Orange (s)



UC1140 Atomic UC1190 Pilbara UC1677 Centurion Red



BCG Colours





UNLIMITED CUSTOM COLOURS

ULTRACORE has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.

ULTRACORE

Colour Chart

Matt Colours







UCM885 Matt



UCM886 Matt Pearl



UCM001 Matt UCM006 Matt Bronze



UCM004 Matt Graphite



Sparkling Colours



UC4725 Sparkling White Sparkling Light Sparkling Dark



UC7250



Sparkling Black

UC7290

Chromatic

Galaxy Silver

Sahara Copper

Chromatic Colours



UC7090 Chromatic Golden Snow



Chromatic Antique Gold



Chromatic

Honey Gold

UC7430

Chromatic

Sunset Purple



UC7350

Chromatic

Chromatic Tiger Chromatic

UC7480 Chromatic

Indigo Violet



UC7450

Chromatic

Oriental Silk

UC7490

Chromatic





Chromatic

Tropical Ocean Martian Green

Timber Imitations







Vintage Walnut Elegant Teak



UC8355



Bloodwood



Rengas

Stone Imitations



Pearl White



UC6060 Marble UC6385 Marble UC6315 Cashmir Beige Beige



UC6305 Travertine Atlas Travertine Calico Cream



UC6310 Granite UC6280 Aurisina Beige



Granite Magenite Black

Metal Imitations



UC2200 Brushed Silver



UC5220 Zinc Dark



UC5260 Zinc Charcoal



UC5150 Brushed Copper



UNLIMITED CUSTOM COLOURS

ULTRACORE has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.







Blue Chip Group Pty Ltd SYDNEY | MELBOURNE | PERTH P 1300 945 123 E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.