PHOENIX TAPWARE, SHOWERS & ACCESSORIES

INTRODUCING

HydroSense®

PATENTED+ SPRAY

TECHNOLOGY

+PATENT PENDING

NX SHOWERS

LET FREEDOM RAIN

Refined by design, NX elevates the essential elements of showering. From the award-winning design and engineering team at Phoenix, realise the true freedom of showering when you experience NX. With five unique and exquisite collections, there is something to suit all sensibilities, while delivering equally invigorating and calming shower experiences.

The brand-new additions of Iko and Orli feature HydroSense® – a revolutionary water spray technology from Phoenix's in-house Research and Development team. With HydroSense®, water is transformed. This patented⁺ technology accelerates water flow tenfold, resulting in more even coverage, improved performance in low pressure environments and reduced debris collection within the shower fitting.

The internal engineering ensures a fully immersive shower experience and the sense of total escape.

All NX Showers are backed by a lifetime warranty, which is a testament to their design and engineering quality.













With a reputation for impeccable design, the award-winning NX team worked tirelessly to create products that make choosing the right shower easy.

The NX Showers deliver unique and exceptional coverage, while remaining water efficient and deeply in tune with the Phoenix aesthetic. The three-word mantra of our in-house design team is 'refined, sophisticated and innovative' which has led to our presence on the world stage of international design awards and now, brings NX to you.











HydroSense® SPRAYTECHNOLOGY



NX Showers with HydroSense® feature ground-breaking spray technology developed by Phoenix's in-house design and engineering team. With HydroSense®, water is transformed. Inspired by nature, our patented+ HydroSense® Technology delivers curved sheets that multiply into dense, cascading droplets. The addition of quality brass components and elegant fixings ensures a lifetime of luxury whilst the internal engineering creates a fully immersive showering experience.



Structural advantages: Conventional shower nozzles generally have a stepped cavity flow path. Stagnation and recirculation occurs as a result, reducing the exit flow speed. NX with HydroSense® has a specially designed, streamlined flow path that makes the flow speed 10 times higher than that of a conventional shower. The water flow is split into individual water channels that feed into large volume atomising nozzles. These unique nozzles disperse the large water droplets evenly, providing a full-bodied shower that uses a minimal amount of water, even at low pressures.



10 x WATER FLOW SPEED



IMPROVES LOW PRESSURE OUTPUT



MORE EVEN COVERAGE



REDUCED DEBRIS COLLECTION

Measured against comparable litre / minute showers





any bathroom interior.

МВ





NX IKO HAND SHOWER with HydroSense® 608-6610-00

3 Star - 8lt/min

REG No. \$13463

- Push-fit adapter suitable for existing 1/2" connection with no drilling required
- Metal hand piece with insulated sleeve for minimal heat retention
- Quality brass bracket
- 120mm hand piece
- Easy-clean flexible smooth hoseConcealed hose connection
- Available in Chrome (shown) and Matte Black (608-6610-10)

NX with HydroSense®



NX IKO **SHOWER ARM & ROSE**

with HydroSense® 608-5100-00 3 Star - 8.5lt/min RFG No. \$13466

- Easy installation with push-fit adapter suitable for existing 1/2" connection
- Large 250mm shower head
- Brass arm
- Available in Chrome (shown) and Matte Black (608-5100-10)



NX IKO TWIN SHOWER

with HydroSense® 608-6500-00 3 Star - 8.5lt/min

- RFG No. \$13465
- fits to existing 1/2" connection Adjustable bottom pillar for flexible mounting

• Top inlet rotary water diverter,

- Brass components for product longevity
- Easy to operate brass slider for hand piece height adjustment
- Metal hand piece with insulated sleeve for minimal heat retention
- 120mm hand piece
- Large 250mm shower head
- Easy-clean flexible smooth hose
- Concealed hose connection
- Available in Chrome (shown) and Matte Black (608-6500-10)



NX IKO RAIL SHOWER


with HydroSense® 608-6810-00 3 Star - 8lt/min REG No. S13472

- Easy installation with push-fit
- Brass components for product longevity
- Easy to operate brass slider for hand piece adjustment
- Metal hand piece with insulated sleeve for minimal heat retention
- 120mm hand piece
- Easy-clean flexible smooth hose
- Concealed hose connection
- Available in Chrome (shown) and Matte Black (608-6810-10)

NX IKO **SHOWER ROSE** with HydroSense®

608-5000-00 3 Star - 8.5lt/min REG No. \$13473

- Flts to all standard 1/2" shower arms
- Large 250mm shower head
- Available in Chrome (shown) and Matte Black (608-5000-10)





SHOWER ARM & ROSE

with HydroSense® 607-5100-00

3 Star - 8lt/min

REG No. \$13467

- Easy installation with push-fit adapter suitable for existing 1/2" connection
- Large 290 x 210mm shower head
- Brass arm
- Available in Chrome (shown) and Matte Black (607-5100-10)



NX ORLI TWIN SHOWER

with HydroSense® 607-6500-00 3 Star - 8lt/min

REG No. \$13471

- Top inlet rotary water diverter, fits to existing 1/2" connection
 Concealed rail installation
- Brass components for product
- longevity
 Easy to operate brass slider for hand piece adjustment
- Large 290 x 210mm shower head
- 100mm hand piece
- Easy-clean flexible smooth hose
- Concealed hose connection
- Available in Chrome (shown) and Matte Black (607-6500-10)



NX ORLI HAND SHOWER

with HydroSense®

607-6610-00

3 Star - 8lt/min

REG No. S13462

- Push-fit adapter suitable for existing 1/2" connection with no drilling required
- Quality brass bracket
- 100mm hand piece
- Easy-clean flexible smooth hose
- Concealed hose connection
- Available in Chrome (shown) and Matte Black (607-6610-10)

NX ORLI SHOWER ROSE


with HydroSense®

607-5000-00

3 Star - 9lt/min

RFG No. S13468

- Flts to all standard 1/2" shower arms
- Large 290 × 210mm shower head
 Available in Chrome (shown) and Matte Black (607-5000-10)









NX ORLI **RAIL SHOWER**

with HydroSense® 607-6810-00

3 Star - 8lt/min REG No. S13464

- Easy installation with push-fit adapter
- Concealed rail installation
- Brass components for product longevity
- Easy to operate brass slider for hand piece adjustment
- 100mm hand piece
- Easy-clean flexible smooth hose
- Concealed hose connection
- Available in Chrome (shown) and Matte Black (607-6810-10)



HydroSense®

With a focus on contemporary design, Orli was created with soft square detailing and flush design features at its core. Positioned as if floating against the wall, Orli is sleek and solid in appearance.











SHOWER ARM & ROSE

605-5100-00 3 Star - 8.5lt/min

REG No. S12439

- Easy installation with push-fit adapter suitable for existing connection
- Large 290 × 200mm shower head for impressive coverage with lowprofile nozzles
- Stylish rectangular brass shower
- Available in Chrome (shown)



NX CAPE TWIN SHOWER

605-6500-60 3 Star - 8.5lt/min REG No. S12422 (V)

- Top water inlet fits to existing connection
- Brass components for product longevity
- 180° rotary diverter for easy transition between hand piece and overhead
- Easy to operate push button slider for hand piece height adjustment
- Easy-clean flexible hose (Chrome option features chrome hose)
- 120 × 82mm hand piece with lowprofile nozzles
- Large 290 × 200mm shower head for impressive coverage
- Available in Chrome (605-6500-00) and Chrome / Matte Black (shown)



NX CAPE HAND SHOWER

605-6610-60

3 Star - 8.5lt/min

REG No. S12418 (V)

- Fits to existing connection with no drilling required
- Quality brass bracket
- Easy-clean flexible hose (Chrome option features chrome hose)
- 120 x 82mm hand piece with lowprofile nozzles
- Available in Chrome (605-6610-00) and Chrome / Matte Black (shown)

NX CAPE SHOWER ROSE

605-5000-00

3 Star - 8.5lt/min

REG No. S12417

- Flts to all standard 1/2" shower
- Large 290 × 200mm shower head for impressive coverage with lowprofile nozzles
- Available in Chrome (shown)





SHOWER ARM & ROSE

606-5100-40 3 Star - 8.5lt/min

REG No. S12438 (V)

- Easy installation with push-fit adapter suitable for existing connection
- Large 250mm shower head for impressive coverage with low-profile nozzles
- Stylish rectangular brass shower arm
- Available in Chrome (606-5100-00), Chrome / Matte Black (606-5100-60), Matte Black⁺ (606-5100-10) and Brushed Nickel⁺ (shown)



NX QUIL TWIN SHOWER

606-6500-40 3 Star - 8.5lt/min

REG No. S12449 (V)

- Top water inlet fits to existing connection
- Brass components for product Iongevity
- Unique push button mechanism for easy diversion between hand piece and overhead
- Easy to operate push button slider for hand piece height adjustment
- · Adjustable bottom pillar for ease of install
- Easy-clean flexible hose
- Hoses match the shower finish for Chrome, Matte Black and Brushed
- I 20mm hand piece with low-profile nozzles
- Large 250mm shower head for impressive coverage
- Available in Chrome (606-6500-00), Chrome / Matte Black (606-6500-60), Matte Black⁺ (606-6500-10) and Brushed Nickel⁺ (shown)



NX QUIL HAND SHOWER

606-6610-40

3 Star - 8lt/min

REG No. S12411 (V)

- Fits to existing connection with no drilling required
- Quality brass bracket
- Easy-clean flexible hose
- Hoses match the shower finish for Chrome, Matte Black and Brushed Nickel
- 120mm hand piece with low-profile nozzles
- Available in Chrome (606-6610-00), Chrome / Matte Black (606-6610-60), Matte Black⁺ (606-6610-10) and Brushed Nickel⁺ (shown)


NX QUIL SHOWER ROSE

606-5000-40

3 Star - 9lt/min

REG No. S12413 (V)

- Flts to all standard 1/2" shower arms
- Large 250mm shower head for impressive coverage with low-profile
- Available in Chrome (606-5000-00), Chrome / Matte Black (606-5000-60), Matte Black⁺ (606-5000-10) and Brushed Nickel⁺ (shown)







NX QUIL RAIL SHOWER

606-6810-40

3 Star - 8lt/min

REG No. S12412 (V)

- Brass components for product longevity
- Easy-clean flexible hose
- Hoses match the shower finish for Chrome, Matte Black and Brushed Nickel
- Adjustable bottom pillar suitable for flexible installation
- 120mm hand piece with low-profile nozzles
- Easy to operate push button slider for hand piece height adjustment
- Removable soap dish
- Available in Chrome (606-6810-00), Chrome / Matte Black (606-6810-60), Matte Black⁺ (606-6810-10) and Brushed Nickel⁺ (shown)

Distilled to its fundamental elements with refined surfacing and thoughtful design, Quil affords any bathroom a sense of simple and stylish elegance. Providing a dense droplet-like experience, the shower becomes something to be savoured. While its sophisticated nozzles give the water a spa-like sensation, our commitment to water efficiency remains.

















NX VIVE SHOWER ARM & ROSE

604-5100-00

3 Star - 8.5lt/min

REG No. S12437

- Easy installation with push-fit adapter suitable for existing connection
- Large 250mm shower head for impressive coverage with lowprofile nozzles
- Stylish cylindrical brass shower arm
- Available in Chrome (shown)



NX VIVE TWIN SHOWER

604-6500-62

3 Star - 9lt/min

REG No. S12421 (V)

- Top water inlet fits to existing connection
- Brass components for product longevity
- Unique push button mechanism for easy diversion between hand piece and overhead
- Easy to operate single twist rotary slider for hand piece height adjustment
- Easy-clean flexible hose (Chrome option features chrome hose)
- I 20mm hand piece with lowprofile nozzles
- Large 250mm shower head for impressive coverage
- Available in Chrome (604-6500-00) and Chrome / Natural White (shown)



NX VIVE RAIL SHOWER

604-6810-62

3 Star - 8.5lt/min

REG No. S12416 (V)

- Brass components for product longevity
- Easy-clean flexible hose (Chrome option features chrome hose)
- 120mm hand piece with low-profile nozzles
- Easy to operate single twist rotary slider for hand piece height adjustment
- Removable soap dish
- Available in Chrome (604-6810-00) and Chrome / Natural White (shown)

NX VIVE SHOWER ROSE

604-5000-00

3 Star - 8.5lt/min

REG No. S12414

- Fits to all standard 1/2" shower arms
- Large 250mm shower head for impressive coverage with low-profile nozzles
- Available in Chrome (shown)



YOUR SHOWER EXPERIENCE

CAPEStrong and immersive spray

QUILDense, droplet-like spray

VIVE Streamline and invigorating spray









HydroSense® Technology delivers curved sheets that multiply into dense, cascading droplets, creating a fully immersive showering experience.







IKO with HydroSense®

ORLI with HydroSense®





THE SHOWER FOR YOU

FINISHES	NX IKO with HydroSense®	NX ORLI with HydroSense®	NX CAPE	NX QUIL	NXVIVE
CHROME with flexible, smooth hose in Chrome	•	•	•	•	•
BRUSHED NICKEL with flexible, smooth hose in Brushed Nickel				•	
MATTE BLACK with flexible, smooth hose in Matte Black	•	•		•	
CHROME / MATTE BLACK with flexible, velvet touch hose in Matte Black			•	•	
CHROME / NATURAL WHITE with flexible, velvet touch hose in Natural White					•

+ Coming soon

Choosing a shower for your bathroom is not just about the aesthetics. It is also important to consider which type of shower suits your needs. Here is a guide to simplify the decision making and ensure it is the best possible solution for you.	TWIN SHOWER	RAIL SHOWER	HAND SHOWER	HI-RISE SHOWER
ADJUSTABLE HEIGHT	•	•		
ANGLE ADJUSTMENT	•	•	•	•
ADDITIONAL HEIGHT FROM CONNECTION	•	•		•
NO DRILLING INTO TILES REQUIRED			•	•
EASY REACH CLEANING	•	•	•	
WATER EFFICIENT	•	•	•	•




















For further information and stockists, visit our website or email sales@phoenixtapware.com.au

Head Office: 926 Mountain Highway Bayswater VIC 3153 Ph: (03) 9780 4200 Fax: (03) 9729 3746

Please note:

While we aim to ensure the details in this catalogue are correct at the time of printing, Phoenix Tapware reserves the right to modify specifications shown or delete products from their range without prior notification.

Some colours may vary across product types due to differing construction materials. Printed images are a representation only and the colour or finish may vary from the actual product.

NX, Cape, Iko, Orli, Quil, Vive and HydroSense⁺ are Registered Trademarks of Phoenix Industries Pty. Ltd.

⁺Patent pending









phoenixtapware.com.au



