





Locker Projects
















Locker Projects













Laminate Lockers


SPECIFICATIONS


- \ Australian Made.
- Extensive choice of door colour finishes from the Laminex range.
- \ Hanging rail fitted with anti-theft coat hanger units vented through back.
- Premium master keyed lock system standard and numbered ready for use.
- \ 110mm or 150mm plinth for 1800mm units, 460mm high base for 1450mm and 1600mm units.
- Locker carcase is white MR board with black edging or white.
- \ Units can be made mix and match for example 2 doors top half and 1 bottom half.
- \ Separate base black or silver finish.
- \ Most square door locker ranges are limited in their locker configurations, often having only 1, 2 and 4 door units to select from. IntraSpace has an expanded range with its Traditional lockers being available in 1, 2, 3, 4, 5 and 6 door units and two widths – 300mm and
- \ Moisture resistant (MR) board covered in low pressure laminate, white for the carcase and choice of door colour from the industry leading Laminex and Formica ranges.
- \ Standard units can also be placed on high bases which allows for seating to be placed directly in front. This seating is fixed to the front of the base with the use of cantilevered bracketing which keeps the floor area free of obstructions.





REVIT MODELS AVAILABLE Contact us on 1800 800 573 or download from our website

TRADITIONAL RANGE












	CODE	DESCRIPTION	DOOR HEIGHT
1	ISL-1	1 Door - long hanging with bag storage - shelf at top or bottom	1800mm
2	ISL-2	2 Door - 2 hanging lockers with bag storage	900mm
3	ISL-3	3 Door - large bag storage	600mm
4	ISL-4	4 Door - medium bag storage	450mm
5	ISL-5	5 Door - small bag storage	360mm
6	ISL-6	6 Door - small bag / handbag storage	300mm
7	ISL-HB1	1 Door - long hanging for use on high base - optional seat	1450mm
8	ISL-HB3	3 Door - large / medium bag - high base - optional seat	480mm
9	ISL-HB4	4 Door - 4 Door - medium bag - high base - optional seat	360mm
10	ISL-HBT1	1 Door - tall hanging locker - high base - optional seat	1600mm
11	ISL-HBT3	3 Door - tall locker - large bag - high base - optional seat	530mm
12	ISL-HBT4	4 Door - tall locker - medium bag - high base - optional seat	400mm


Laminate Lockers

LONG NECK RANGE









OPTIONAL CONFIGURATIONS Mirror reverse/mix and match colours






BENCH SEATING

- ∖ IntraSpace range of Bench seating is manufactured from powdercoated steel with Tasmanian Oak hardwook slats - tough and durable.
- \ With a choice of single sided, double sided or fixed seating for use directly in front of the lockers, we have a seat to suit your needs
- \ Designed for use with our high base.
- \ Specially designed metal brackets are bolted to the front of the high
- \ This keeps the floor area in front of the lockers free from seat legs, allowing for easy cleaning around the lockers.

SPECIFICATIONS

- \ Black powdercoat finish to brackets
- \ Timber clear finished
- \ Optional staining
- \ Seat width 300mm





Metal Lockers



METAL PERSONAL LOCKERS

- \ Available in single, 2, 3, 4, 5, 6 and 8 tier
- \ Fully welded construction with a lifetime warranty
- \ All lockers fitted with ventilation louvers
- \ Available in a wide range of tough powder coat finishes
- Single tier unit includes a fixed shelf and hanging rail
- Two tier unit includes a hanging rail
- Lockers can be supplied in banks of 2, 3 or 4

Standard Height - 1800 mm Standard Widths - 305 / 380 mm Standard Depth - 460 mm

Timber bench seat can be fitted to front of lockers - P.O.A.

300mm Wide		380mm Wide		
	Single Door	(ISSLI)	Single Door	(ISSLW1)
	2 Door	(ISSL2)	2 Door	(ISSLW2)
	3 Door	(ISSL3)	3 Door	(ISSLW3)
	4 Door	(ISSL4)	4 Door	(ISSLW4)
	5 Door	(ISSL5)	5 Door	(ISSLW5)
	6 Door	(ISSL6)	6 Door	(ISSLW6)
	8 Door	(ISSL8)	8 Door	(ISSLW8)







🚺 Indicative pricing of Lockers - dependant on quantity and colour. Please ask one of our friendly sales team for a quote today.







METAL LOCKERS - CUSTOM

- Perforated door style to add style
- \ Front mounted doors, not inset
- Available in a large range of powdercoat colours and finishes
- \ Locking types available with key, padlock or digital
- \ Shoe boxes and benching



Locker Varieties



2 TIER GYM OR SCHOOL LOCKERS

- \ Fully welded one piece body for increased strength and durability
- \ Extra wide compartment suitable for school bags and folders
- \ Includes hanging rail. Other accessories available
- \ Durable powder coat finish, Dual colour and Multi colour available
- \ 14 colour choices including ripple and energy range
- \ Lifetime warranty
- \ Made in Australia from 100% recyclable Australian steel



METAL STEP LOCKERS

- \ Fully welded one piece body for increased strength and durability
- \ Hanging rail in both compartments
- Durable powder coat finish, Dual colour and Multi colour available
- 14 colour choices including ripple and energy range
- \ Lifetime warranty
- \ Made in Australia from 100% recyclable Australian steel



POLICE LOCKER WITH SLOPING DOOR

ISSHLP03

- \ 600mmW x 540mmD x 1800mmH
- \ 150mmH Sloping Top
- \ Single Door Locker
- \ 1 x Fixed Shelf 250mm from top
- \ 1 x Hanging Rail
- \ Fixed boot shelf
- \ 2 Key flush lock



LAPTOP LOCKERS

- \ Fully welded one piece body for increased strength and durability
- Rear ventilation to reduce heating while storing
- \ Durable powder coat finish, Dual colour and Multi colour available
- \ 14 colour choices including ripple and energy range
- \ Lifetime warranty
- \ Made in Australia from 100% recyclable Australian steel

ISSLT8	8 DOORS - 300W X 1800H X 450D MM
ISSLT10	10 DOORS - 300W X 1800H X 450D MM
ISSLT12	12 DOORS - 300W X 1800H X 450D MM
ISSLTW8	8 DOORS - 380W X 1800H X 450D MM
ISSLTW10	10 DOORS - 380W X 1800H X 450D MM
ISSLTW12	12 DOORS - 380W X 1800H X 450D MM

Plastic Lockers

WATER RESISTANT PLASTIC LOCKERS

- \ Suitable for outdoor use
- \ Adjustable Shelves
- \ Waterproof, UV Proof
- \ Vandal proof
- \ Low maintenance, easy to clean
- \ Eco friendly/ recyclable
- \ Pad latch or key locking mechanism as standard
- \ Stocked colour- Blue doors with Grey carcass. All other colours indent only
- \ 20 Year Indoor / 8 Year Outdoor Warranty



CODE	DESCRIPTION	DIMENSIONS (mm)		
CODE	DESCRIPTION	Height	Width	Depth
ISHDPL1	One Tier	1800	385	500
ISHDPL2	Two Tier	1800	385	500
ISHDPL4	Four Tier	1800	385	500
ISHDPL1/900	One Tier Half Height	900	385	500
ISHDPL2/900	Two Tier Half Height	900	385	500
ISHDPL4/900	Four Tier Half Height	900	385	500
ISHDPL1/600	One Tier Third Height	600	385	500
ISHDPL2/600	Two Tier Third Height	600	385	500
ISHDPL1/450	One Tier Quarter Height	450	385	500

WEATHER RESISTANT PLASTIC LOCKERS

- \ Durable, Strong and vandal resistant
- \ Temperature endurable range: -40°C 65°C
- \ PE 100% Plastic 100% Eco-Friendly
- \ UV-8/Water/Corrosion/Bacterial/Vandal/Ice Spray Resistant
- \ Patented design
- \ Adjustable shelves
- \ Multiple lock options available
- \ Locker Carcass/80mm Base Grey Marble
- \ Wide range of locker door colours
- \ Eco-friendly and recyclable
- \ Washable and easy to clean
- \ Low Maintenance
- \ 20 Year Indoor / 8 Year Outdoor Warranty



CODE	DESCRIPTION	DIMENSIONS (mm)		
		Height	Width	Depth
ISTW390L	Large	990	390	500
ISTW390M	Medium	690	390	500
ISTW390S	Small	450	390	500

BASIC LOCKING

KEY LOCKING

IS8.50

- \ Master Key available
- \ Removable lock core
- ease of key replacement
- \ Suitable for metal lockers



STANDARD LATCHLOCK - FOR USE WITH PADLOCKS

ISL-PADLOCK

- \ Accepts standard padlocks for 20mm - 50mm
- \ Lock cam is secured by large striker plate
- \ Numbered scratch plate fitted below lock
- \ Suitable for metal and laminate Inckers



PREMIUM MASTER KEYED LOCKING

IS8.100

- \ High Security Cut Keys
- ∖ Removable lock core -ease of key replacement
- \ Numbered door label
- \ Suitable for laminate lockers



PREMIUM PADLATCH

- \ Stylish black fitting
- \ Slimline and robust design



HEAVY DUTY PADLOCK FITTING

IS8.200

\ 2mm powder coated steel with an integrated pull handle



HEAVY DUTY RECESSED PADLOCK

IS8.220

\ Basic padlock fitting for padlocks



MECHANICAL LOCK - NO BATTERY

DIAL COMBO LOCK

ISL-4 DIAL COMBO LOCK WITH MASTER KEY OVERRIDE

- √ Dial combination operation
- \ Shared or assigned use functionality Cam locking mechanism
- Operates with a 4-digit User Code
- All metal housing Vertical body style
- Recess mount
- Brushed nickel finish
- Manage with laser cut Manager Keys
- Keyed alike per site
- Code retrieval tool for forgotten codes
- Replaceable core
- No batteries required



COMBINATION CAM LOCKER LOCK

IS7450C

- \ Mechanical digital combination cam lock
- \ Suit timber or metal lockers and doors
- \ Cam tongue operation with optional cams to suit sliding, offset, tambours
- \ 4 wheel combination dials with large white numbers on a black background \ Up to 10,0000 possible combination
- codes Robust ABS body
- No batteries to change



DIGITAL LOCK — BATTERY

DIGI4 LOCK

ISDIGI4

- Designed for keyless operation the digi4 lock is easy to use and ideal in situations where there are multiple users. User entered 4 digit electronic code
- operation Battery powered with low power usage
- Code tampering activates security lock out
- Electronic master key overide for management
- Master Key Emulator for programming
- Operating instructions supplied Australian Made



DIGITAL LOCK - KL1000

ISKL1000-S (Silver) / ISKL1000-B (Black)

- \ Silver Grey or Black
- \ Public or Private modes
- \ 10 digit keypad
- 15000 openings from 2 x AAA cells
- Access control without the need for kevs

KL1000-G3 WITH KEY OVERRIDE

ISKL1000-G3 S (Silver) / ISKL1000-G3 B (Black)

- \ Silver Grey or Black
- \ Override Key Available separately



DIGITAL LOCK — SMART

RANGE COMBO LOCK

ISL-Keypad/RFID Lock

- \ Keypad, RFID or Combo interface with a slim 12.5mm profile for surface mounting
- \ Non-Handed Versatile Body styles with an all metal housing in a brushed nickel
- \ Shared and Assigned Use provide customised user experience
- \ Battery Life of 124,500 cycles for Keypad 8 75,000 cycles for RFID
- FCC, CE and IC Certified
- IP55 Rated to withstand dust and moisture
- ADA option available



KL1100 KEYPAD

ISKL1100

- \ 8 digit Master Code and Sub Master Code
- 20 User codes
- \ 6 digit Technician Code
- Auto Unlock at a set time
- Maximum Locked Period
- Battery override
- On the door battery charge
- Powered latch
- Supports Private and Public Functions
- IP55 when fitted with Gasket
- \ Anti Bacterial wipe clean



AXIS LOCK

ISAX-LOCK

- \ Keypad or Touch RFID interface with a slim 8mm profile designed for surface mounting
- Non-Handed Versatile Body Styles in brushed nickel or black finishes
- \ Shared and Assigned Use provide a customised experience
- \ One Touch Programming available with mobile app or electronic keys
- Patented Snap-Lock Cable or Pin Connector for simple installation on new or retrofit applications



OJMAR OCS PRO

ISOCS-PRO

- \ Dual technology: Smartphone use or keypad, as you please
- \ Maintenance App for Functionality Management: fixed, free, groups via App, rental
- \ Rental mode: Configurable by locks in intervals of 15 minutes
- \ Automatic opening
- \ External power override for emergency opening
- ∖ Ojmar user App or ready to go SDK to integrate into building app



DIGITAL LOCK WITH KEYPAD AND INTEGRATED RFID CARD READER

1080DA0

- \ 4-Level Management
- \ Illuminated Keypad Buttons stainless steel keypad case
- \ Owner Programming Key Fob
- \ Master Override Codes or Key Fob up to 3 Master Fobs per lock
- \ Up to 100,000 operations from 4 x AA hatteries
- Low Battery Warning and External emergency power input



INTRASPACE BATTERY LOCK

ISL-SMART LOCKER SYSTEM - WIRELESS

- \ Suitable for new lockers and retrofitting existing lockers
- \ Two battery lock options PIN Code and RFID
- \ Bluetooth for Administrator Acccess



RETROFIT LOCK

BASIC 4 DIGIT PIN OPERABLE LOCK

ISL-INTROPIN CODE LOCK

- \ Ergonomic handling and highquality design
- \ External battery access and battery replacement
- \ Easy to retrofit, e.g. for replacement of mechanical cam lock
- \ Can be retrofitted into any Key Barrel Slot once Key barrel has been removed
- \ 43.3mm DIA
- 3,000 Lock Cycles
- \ Can be used in either Public or Private



ERGONOMIC RETROFITABLE RFID LOCK

ISL-INTRORFID

- \ Ergonomic handling and highquality design
- \ External battery access and battery replacement
- \ Suitable for MiFare Classic and read only on the Desfire EV II
- \ Easy to retrofit, e.g. for replacement of mechanical cam lock
- \ 43.3mm DIA
- \ 2.000 Lock Cycles
- \ Can be used in either Public or Private



GANTNER BATTERY OPERATED KEYPAD LOCK WITH SMART CARD ACCESS

- \ 140mmH x 37.7mmW x 43.4mmD
- \ Battery change from Outside \ Vertical and Horizontal Installation
- \ Mechanical Motor in Lock Body
- \ Suitable for use in temperature range -20°C to +60°C.
- \ Suitable for almost every type of locker material (even singlewalled metal doors) and require no
- \ Users can open doors with convenient and flexible credentials - PIN number, or smart keycard.
- \ Available with and without a PINcode keypad, a combined use of both variants is easily possible.



GANTNER BATTERY OPERTED KEYPAD LOCK WITH SMART CARD ACCESS

GANTNER ECO LOCK

- \ Flexible operation modes-free, personal, timed.
- \ Clear, dual colour LED light (green/ red) to indicate the availability of the locker and acoustic indicators.
- \ Intuitive and unique single-handed operation.
- \ Easy to install and retrofit, it can replace your existing lockers and fits any door through a totally wirefree electronic locking solution.
- \ Easy to use by simply pressing
- \ Easy to maintain: Battery change is all that's needed.



END OF TRIP

OJMAR OTS PRO

ISOJMAR OTS ADVANCE

- \ Write user cards/Read all types of OTS cards
- \ Perform a test to check the configuration of the lock and status of batteries
- \ Load the required configuration in the lock
- \ Synchronisation with the PC time
- \ Update lock firmware via NFC
- \ Batteries rechargeable by USB



COMBI4

ISCOMBI4 ADVANCED

- \ Auto unlock or lock once per day, set per day on a weekly schedule. Enable lock operation hours / disabled on a per day, weekly
- \ Public use mode or Permanent code - can be changed with the keypad by management
- \ Master Code override
- 3 Years warranty
- \ 4-digit code pin
- \ Australian Made



HARDWIRED

GANTNER SMART LOCKING SYSTEM

GANTNER HARDWIRED RFID SYSTEM

- \ Hardwired RFID locking system for lockers
- \ Can be used in either Private (individual card) or Public Access (rotating card) mode
- \ Includes all controller modules required to operate system
- \ 10 digit keypad



METRA LINKS LOCK

METRA TOUCH DISPLAY OEM

- \ Remotely unlock and open your locker
- \ Remotely book a free rental locker
- \ Remotely choose size of a locker (if available)
- \ Remotely choose the time period for locker usage
- \ Remotely extend the time period for locker usage
- \ Remotely end a locker usage "release" a locker
- \ Ask for more detailed information



INTRASPACE SMART LOCK

ISL-Smart Lock System

IntraSpace takes personal storage to a whole new level with the most comprehensive, future proof smart locker system.

Take away the hassle of key management, on-site presence and lack of flexibility – integrated smart locks and powerful cloud software puts you in complete control.

- \ Pincode
- \ Face Recognition
- \ RFID
- \ Fingerprint
- \ NFC \ Single Sign On
- \ QR Code



YELLOWBOX

ISL-Yellowbox Lock


- \ Uses bluetooth to remotely open lock, removing the need to manage loose
- App displays current and past renovations, locker number and hire time
- \ Users can set up a 4 digit pin to open the locker whilst their phone is stored by using the keypad
- \ Options for height accessible users to be allocated to appropriate lockers
- Use of phone limits use of shared interfaces, users are assigned the locker that has been idle the longest
- \ 24/7 in app user support
- \ Auto accessibility allocation
- No wiring, No Internet/Wi-fi required
- \ IP 64 rated



Education Range

















Charging Stations



CARRY ON CHARGING STATION

ISPCI 2-10502

- \ The first ultra-mobile charging station. Charge, store & carry 5 iPad or Tablet devices
- \ Simutaneously charge 5 devices in the same amount of time as just
- \ Includes a wall mounting kit
- Designed to store 7" 10" Tablets
- \ Also available with a Black or White case
- Lifetime warranty
- External dimensions 303mmH x 183mmW x 313mmL
- Device slot dimensions 206.75 x 268 x 23.5mm



IQ 10 CHARGING STATION

ISPCL7121

- \ Charge, store & secure up to 10 iPads & most Tablets simultaneously
- \ The combination of welded steel construction, the mounting-kit and a hardened steel padlock protects vour devices while not in use
- Comes equipped with two device storage racks and two baskets for storing just about any Tablet or iPad
- Lifetime warranty
- External Dimensions 320mmH x 403mmW x 320mmL
- Device slot dimensions 294mmH x 24.5mmW x 219mmL



LAPCABBY LYTE 10 SINGLE DOOR

ISLYTE10SD

- size - laptops, Chromebooks, tablets and other chargeable equipment
- \ Simultaneous charging of all 10 devices to ensure devices are fully charged as fast as possible
- Tested to comply with Healthcare Infection Control Procedures to ensure unit can be cleaned thoroughly, according to healthcare guidelines, preventing the spread of infection
- Key locking system, tested by an independent locksmith, includes 7-pin activation and double-sided key with two sets of teeth, making the lock more durable and impossible to pick.
- Individual Device Compartments store devices horizontally within a compact footprint
- Device Compartment Size W300 x D450 x T50 mm



LAPCABBY TABCABBY 32 HORIZONTAL COMPACT

ISTABCAB32HC

- \ Charges 32 tablets up to 12" screen size - including protective cases
- \ Fitted with large all directional
- swivel, rubber wheels (2 braked) \ Thick steel binding plate connects heavy duty wheels to the cart
- Built-in heat sensor will shut off power if a device overheats or if interior temperature reaches 32C
- \ Power7 Management system preset for 3 daily charging schedules on weekdays with no charging schedules set for weekends
- Device Compartment Size W445 x D335 x T40 mm



CHARGE CUBE TABLET CHARGE CART 30

ISTORCHACUBTAB30

Suitable for classrooms, libraries, hotels, office, factories, meeting rooms, shops, airports, data processing centres or government departments.

- \ Each USB port is equipped with an LED light to indicate charge status for individual devices.
- \ Timer switch to control charging time of
- \ Inbuilt ultra-violet light which disinfects device surfaces and internals while charging controlled by a second timer switch
- \ The devices are kept secure with a quality key operated lock
- Slide-out trays which hold 10 devices each enable easy access
- 1 year on-site service warranty on components



FUYL TOWER CHARGING STATION

ISPCL3-10204

- \ Intelligent Asset Management System that charges, stores, secures and manages assets for most mobile devices in 15 individually lockable compartments
- External dimensions
- 1696mmH x 523mmW x 478mmL \ Device slot dimensions
- 73mmH x 365mmW x 438mmL
- Each compartment is equipped with a power point and a 2.4 amp USB port, so you can . charge almost any device, including: iPads, tablets, laptops, mobile phones, Chromebooks and more
- Each compartment door has a hardened plastic window for viewing the contents inside. Window-blocking plates are also included for organisations that prefer
- locker privacy RFID ready
- Designed with passive ventilation to minimise heat build-up during charging, the FUYL Tower stays cool under pressure, and its why it's back by a lifetime warranty

Bench Seating Options



FREESTANDING BENCHES

- Strong all steel frame constructionTimber, Aluminium or Modwood
- Length can be varied to suit room layout
- Australian made
- \ Various leg styles available
- \ Standard Lengths -1500mm/1800/2000mm
- Standard Depth 450mm
- \ Standard Height 400mm



FREESTANDING BENCHES WITH RAIL

- \ Strong all steel frame construction
- Timber, Aluminium or Modwood
 Length can be varied to suit room layout
- Australian made
- \ Overhead rail with hooks
- \ Hang jackets, towels or clothes
- Standard Lengths-1500/1800/2000mm
- Standard Depth 800mm
- \ Standard Height 400mm




















COAT HOOK

\ Single or Double Hook - Polished Aluminium
\ Suitable for Laminate or Metal Lockers




WRISTBAND / KEY FOB
\ RFID Wristband or Key Fob




USER CARD
\ RFID User and Master Card

DOOR NUMBERING OPTIONS







Scrubs / Hanging Units











Custom Projects

















intraspace.com.au



linkedin.com/company/intraspace-pty-ltd



facebook.com/intraspace australia











specifications or changes, or grammatical inaccuracies on any product included in this catalogue Description of the catalogue of the catalogue is produced under copyright laws. No part of the catalogue Mall material, artwork and copy in this catalogue is produced under copyright laws. No part of the catalogue may be duplicated or reproduced in any form whatsoever without the prior written permission of IntraSpace The logos IntraSpace, IntraMed, Tidy Files, Tidy Files and Cabinets and FileStor are registered trademark wholly owned by IntraSpace