dishwashers

)e



care of the dishes.

Where there's family, friends and food, there's dishes. And let's face it, you've got better things to do than wash up. Which is why for over 60 years Westinghouse has helped Australian families get their kitchens cleaner quicker, so you can get on with the good stuff.

Our practical innovations are about making removing the mess as easy as possible, with technology anyone can use. Our appliances are built to handle everything from a dinner party, to a big family meal, to dinner for one or two. Every dish, every glass, pot and pan are accommodated in adjustable baskets and FlexRack cutlery trays. Giving you a sparkling clean finish.

Whatever your lifestyle, we've got a Westinghouse dishwasher with the features you need, in the style you want.

8	SensorWash
10	Real steel

Fast wash cycles

Range features

Range

20 Specifications






CONVENIENT

fast wash cycles

When it comes to doing the dishes you can choose the program that suits you, whether you have a few dishes, half a load or a full load you can choose our Fast 30, Time Saver or Half Load program.*



WATER SAVING

SensorWash

Sensing the level of grime on your dishes, our super smart sensor adjusts the water levels and times to ensure the best results. As well as saving water.*

* selected models.







STYLISH DESIGN

real steel

Our dishwashers are available in a dark or natural real stainless steel.* Creating a stylish new centrepiece in your kitchen that is easy to clean with a fingerprint resistant finish.

* selected models.

the kitchen is the heart and soul of every home

THE AN WRITE

CHANNEL MORE





FREESTANDING DISHWASHERS

features

less dishes use less water

Every home is different, so is every load of dishes. Our FlexZone half-load wash option saves water and energy when you've got less dishes to wash.

fit things great and small

Every wash load is different. Our FlexRack cutlery tray has got the space for that extra long knife or the awkward pair of tongs, it can also be partially or fully removed, so taller items can fit in your top basket when you need. (WSF6608XA, WSF6608KXA)

5 make room for larger items

Those extra large items can now fit with ease in the bottom basket with our height adjustable upper basket. Even if it's fully loaded, it's easily lifted to fit the most awkward item underneath.

anti-flood for kitchen protection

Sometimes things are out of your control. Our aqua control function is designed to step in when you need it most. The anti-flood device automatically cuts off the water to avoid flooding, ensuring your kitchen is looked after.

a faster wash, when you need it

When it comes to doing the dishes you can choose the program that suits you, whether you have a few dishes, half a load or a full load you can choose our Fast 30, Time Saver or Half Load program. *only on selected models

dinner for 4 or 15, we have you covered

Whether you're entertaining or you've got a very hungry family you'll be glad to know you can really fill a Westinghouse and still get sparkling results. The super generous capacity can handle 15 place settings with ease. (WSF6608XA, WSF6608KXA, WSF6606XA, WSF6606KXA)

fan dried for a faster finish

Is there anything worse than finding plates in the cupboard not quite dry? And forget waiting for the air to dry your dishes. Fan drying means you can get it all put away, straight away, without waiting with the door open or wiping up. (WSF6608XA, WSF6608KXA)

clean with Extra Hygiene

Some items need a little extra care. When it comes to cleaning baby products, chopping boards, knives and wooden spoons our Extra Hygiene setting gives you the extra sanitation when you need it most.

















range freestanding







WSF6608KXA

60cm freestanding dark stainless steel dishwasher with 15 place settings

- LED display with electronic controls
- Quiet 45dB(A) operation
- FlexRack cutlery drawer
- 8 wash programs
- 2 x FlexZone half load options
- Delay Start: 1-24 hours
- Child lock
- Height adjustable upper basket when loaded
- Foldable racks on upper & lower basket
- AquaStop hose plus overflow & leakage protection
- Mark resistant dark stainless steel door



*worktop removed



WSF6608XA





WSF6606KXA

60cm freestanding dark stainless steel dishwasher with 15 place settings

- LED display with electronic controls
- Quiet 45dB(A) operation
- 6 wash programs
- 2 x FlexZone half load options
- Delay Start: 1-24 hours
- Child lock
- Height adjustable upper basket when loaded
- Foldable racks on lower basket
- AquaStop hose plus overflow & leakage protection
- Mark resistant dark stainless steel door

Product dimensions: *820-870H x 598W x 598D (mm)

*worktop removed



WSF6606XA

60cm freestanding stainless steel dishwasher with 15 place settings



range freestanding





WSF6604XA

60cm freestanding stainless steel dishwasher with 13 place settings

- Electronic controls
- Quiet 47dB(A) operation
- 6 wash programs
- FlexZone half load option
- Delay Start: 3, 6, or 9 hours
- Child lock
- Height adjustable upper basket
- Foldable racks on lower basket
- AquaStop hose plus overflow & leakage protection
- White door

Product dimensions: *820-870H x 598W x 598D (mm)

*worktop removed

60cm freestanding white dishwasher with 13 place settings

WSF6604WA





WSF6602XA

60cm freestanding stainless steel dishwasher with 13 place settings

Rotary electronic controls

- Quiet 49dB(A) operation
- 5 wash programs
- FlexZone half load option
- Delay Start: 3, 6, or 9 hours
- Height adjustable upper basket
- Foldable racks on lower basket
- Overflow & leakage protection
- Mark resistant stainless steel door

Product dimensions: *820-870H x 598W x 598D (mm)

*worktop removed



WSF6602WA

60cm freestanding white dishwasher with 13 place settings



Dishwashers

Features[†]

WSF6608KXA / WSF6608XA WSF6606KXA / WSF6606XA

Туре	60cm Freestanding	60cm Freestanding	
Available finish	mark resistant dark stainless steel / stainless steel	mark resistant dark stainless steel / stainless steel	
Place settings	15	15	
WELS* water star rating	4.5	4.5	
Water consumption (litres)	13.5	13.5	
Energy star rating	3.5	3.5	
Operating noise level dB(A)	45	45	
Control type	Electronic push button	Electronic push button	
LED Display with electronic controls	Time remaining / LED indicator	Time remaining / LED indicator	

features		
FlexRack cutlery tray	Yes	
Upper basket	height adjustable loaded	height adjustable loaded
	4 foldable cup shelves	4 adjustable cup shelves
Lower basket	4 foldable racks	4 fold down racks
Cutlery basket		Modular
Wash programs	8	6
Sensor wash 30°C-70°C (delicate/daily/heavy)	\checkmark \checkmark \checkmark	
Eco 50°C	\checkmark	✓
TimeSave 50 mins 65°C	\checkmark	\checkmark
Fast 30 mins 40°C	\checkmark	\checkmark
Prewash	\checkmark	\checkmark
Delicate 40°C		\checkmark
Daily 60°C	\checkmark	
Heavy 65°C		✓
Wash options		
FlexZone (half load) wash	upper/lower	upper/lower
Hygiene	\checkmark	✓
Dry plus	\checkmark	\checkmark
Rinse Plus	\checkmark	\checkmark
Tablet	\checkmark	\checkmark
Favourite	\checkmark	\checkmark
Delay start	1-24 hours	1-24 hours
Drying system	Fan assist dry	Active dry
Sensors	Soil level	
Number of spray arms	2 + top impeller	2 + top shower

safety		
Lower basket safety stopper	\checkmark	\checkmark
Child lock option	√	√
Water safety overflow & leak protection	√	√
Aqua stop safety hose	\checkmark	\checkmark

specification		
Dimension (with worktop) H x W x D (mm)	850 x 598 x598	850 x 598 x598
Dimension (without worktop) H x W x D (mm)	820 x 598 x 598	820 x 598 x 598
Height adjustable (mm)	+ 0 to 20	+ 0 to 20
Removable worktop (for built under installation)	820	820
Water inlet cold or hot (max 60°C)	\checkmark	\checkmark

+ Built-under - Dishwasher needs to be secured under a counter with supplied brackets and screws. Option to integrate the dishwasher behind a cabinetry kick panel if required.

1 Freestanding - Dishwasher does not need to be secured under a counter. It can remain as a freestanding unit or fit into a cavity. The top panel can be removed if needed to fit under a tight fitting benchtop. * WELS Standard AS/NZS 6400.2005.

Water up to 60°C can be used.
^ Depth measured to front corner of door, excludes control panel.

Dishwashers

Features⁺

Туре	60cm Freestanding	60cm Freestanding
Available finish	mark resistant stainless steel / white	mark resistant stainless steel / white
Place settings	13	13
WELS* water star rating	4.5	4.5
Water consumption (litres)	11.8	11.8
Energy star rating	3	3
Operating noise level dB(A)	47	49
Control type	Electronic push button	Rotary electronic
Display	LED indicator	LED indicator
features		
FlexRack cutlery tray		
Upper basket	height adjustable	height adjustable
	4 adjustable cup shelves	4 cup shelves
Lower basket	2 fold down racks	2 fold down racks
Cutlery basket	Standard	Standard
Wash programs	6	5
Sensor wash 30°C-70°C (delicate/daily/heavy)		
Eco 50°C	✓	\checkmark
TimeSave 50 mins 65°C	\checkmark	\checkmark
Fast 30 mins 40°C	\checkmark	\checkmark
Prewash	\checkmark	
Delicate 40°C	\checkmark	\checkmark
Daily 60°C		
Heavy 65°C	\checkmark	\checkmark
Wash options		
FlexZone (half load) wash	upper	upper
Hygiene		
Dry plus		
Rinse Plus		
Tablet	\checkmark	
Favourite	\checkmark	
Delay start	3, 6, or 9 hours	3, 6, or 9 hours
Drying system	Active dry	Mini active dry
Sensors		
Number of spray arms	2	2
safety		
Lower basket safety stopper	\checkmark	\checkmark
Child lock option	\checkmark	
Water safety overflow & leak protection	\checkmark	\checkmark
Aqua stop safety hose	\checkmark	
specification		
Dimension (with worktop) H x W x D (mm)	850 x 598 x 598	850 x 598 x 598
Dimension (without worktop) H x W x D (mm)	820 x 598 x 598	820 x 598 x 598
Height adjustable (mm)	+ 0 to 20	+ 0 to 20
Removable worktop (for built under installation)	820	820
Water inlet cold or hot (max 60°C)	√	√

Water up to 60°C can be used.
Depth measured to front corner of door, excludes control panel.







WSF6604XA / WSF6604WA

WSF6602XA / WSF6602WA

Freestanding – Dishwasher does not need to be secured under a counter. It can remain as a freestanding unit or fit into a cavity. The top panel can be removed if needed to fit under a tight fitting benchtop.
WELS Standard AS/NZS 6400.2005.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

AUSTRALIA

phone: 13 13 49 email: customercare@electrolux.com.au web: westinghouse.com.au

NEW ZEALAND

phone: 0800 10 66 10 email: customercare@electrolux.co.nz web: westinghouse.co.nz

We invite you to follow Westinghouse appliances and get involved in the conversation.

Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years, an additional 3 year warranty is also provided for domestic applications only to cover replacement of parts only for the sealed refrigeration system, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer deares Act, the Sale of Goods Act and the FairTrading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

[†] Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.

🕲 and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license by Electrolux Home Products Pty Ltd. All Rights Reserved.

© 2020 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WBRO_Dish_Jul20