

**Profile** Material **Finish** 

Max. Width Max Length **Open Area** Weight **Stock Status** Туре Wire Dia

Aperture Form

**Transit 091** 

S/S T316, T304 Mill

3000mm

As per Application

76%

2.64 kg/m<sup>2</sup>

Custom Made

Flexible

0.9mm

5.5 x 5.6 x 0.9mm

Roll



\* Typical Architectural Installation

# **Applications:**


Building Facades, Curtains, Ceilings

### **Attachment Methods:**

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

#### **Extra Notes:**







Profile Material Finish Max. Width Max Length

Finish Mill
Width 5000 mm

**Transit 210** 

S/S T316, T304, Galv, Brass

**1ax Length Open Area Weight**As per Application
56%
4.56 kg/m² (S/S)

Stock Status
Type
Wire Dia
Aperture

4.30 kg/m (3/3)
Custom Made
Flexible
1.25mm
7.25 x 7.25mm

Form Roll



\* Typical Architectural Installation

# **Applications:**


Building Facades, Curtains, Ceilings


### **Attachment Methods:**

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

#### **Extra Notes:**

Dimensions are nominal







Profile
Material
Finish
Max. Width
Max Length
Open Area
Weight
Stock Status
Type
Wire Dia
Aperture

**Transit F281** 

S/S, T316, T304

Mill

3000mm

As per Application

19%

 $8.6 \text{ kg/m}^2$  (S/S)

Custom Made

Flexible

2.8/1.0 Ribbon

5.7 x 13.3

Roll



\* Typical Architectural Installation

# **Applications:**

Building Facades, Roller Curtains


### **Attachment Methods:**


Form

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

#### **Extra Notes:**

Dimensions are nominal







Profile Material Finish Max. Width Max Length Open Area Weight Stock Status Type **Transit F160** S/S T316, T304

Mill 3000mm

As per Application

19%

10.2 kg/m<sup>2</sup> Custom Made

Flexible

Wire Dia 1.6/0.7 Ribbon Aperture 3.5 x 6.5mm

Roll



\* Typical Architectural Installation

# **Applications:**

Facades, Curtains, Sunshades


### **Attachment Methods:**


Form

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

#### **Extra Notes:**

Dimensions are nominal







Profile Material Finish Max. Width Max Length Open Area Weight Stock Status **Transit 610** 

S/S T316, T304, Galv

Mill

. Width 3000mm

**ax Length** As per Application

<5%

 $22.7 \text{ kg/m}^2$  (S/S)

cock Status Custom Made

Type Flexible 1.6mm

**Aperture** N/A

Form Roll



\* Typical Architectural Installation

# **Applications:**


Building Facades, Curtains, Ceilings

# **Attachment Methods:**

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

#### **Extra Notes:**

Dimensions are nomina





**Profile** Material **Finish** Max. Width **Max Length Open Area** Weight **Stock Status** Type Wire Dia **Aperture** 

**Transit F360** 

S/S T316 Mill

5000mm

As per Application

61%

10.8 kg/m<sup>2</sup>

Custom Made

Flexible

6.0/1.0 Ribbon 19.4 x 65mm

Form

Roll



\* Typical Architectural Installation

# **Applications:**

Building Facades, Features

# **Attachment Methods:**

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

#### **Extra Notes:**

