



Architectural Linings & Claddings

Architectural range of non-combustible claddings that offer a designer look with the confidence of fire compliance.





Non-Combustible Solutions

Atkar Group's selection of non-combustible lining and cladding solutions have been developed to meet market requirements. Our striking new DesignerWood range offers two timber-look alternatives including a premium aluminium cladding system and a decorative fibre cement batten.

We are also a key distribution partner of Cembrit, who are one of the leading manufacturers of superior through colour fibre cement façade systems.

DesignerWood™ Aluminium



Timber-Look Aluminium Batten & Cladding System

Beautiful and realistic, it is a lightweight, non-combustible and maintenance free alternative to timber or steel. With a photo-realistic timber finish, most with a unique texture, it can also be customised to suit any project.











Timber-Look Fibre Cement Battens

With a natural colour palette, it looks like timber, but offers the durability and non-combustibility of fibre cement. Suitable for both internal and external applications it is a cost-effective and attractive solution.





Cembrit Patina



Through Colour Fibre Cement Façade -**Natural Surface**

With a beautiful and natural coloured surface, Patina boards have a raw textured look and feel. The natural ageing of the fibre cement leaves subtle changes on the surface, and the façade will gradually acquire a distinctive 'patina' over time.








External

Cembrit Solid



Through Colour Fibre Cement Façade -Solid Colour

With a full-coverage painted surface that is smooth to touch, Solid boards also have the same colour all the way through, which means every surface, edge and cut-out will feature the same colour.









Technical data

Key Features

Substrate: Lightweight hollow aluminium

Application: Internal and external

Customisable: Customisable to project requirements

Fire Compliance:

> Fire tested AS/NZ 3837-1998: Group 1 Rating.

atkar.com.au/designerwood

- BCA compliant meets BCA Deemed to Satisfy provision C1.10. and C1.12(e).
- > Fire tested AS/NZ 1530.3-1999: Spread of Flame - Index 0.


Finish Options

Created to replicate actual timber, our 18 photo-realistic colour options, most of which include a unique texture feel to enhance realism, will complement or add contrast to any surface.

Colour matched end caps are also available to ensure a seamless finish.



Liquorice Oak / Textured





European Walnut / Smooth



Alaskan Fig / Textured

Grey Elm / Smooth





Acacia / Textured











Heritage Walnut / Textured



Tasmanian Oak / Textured



Hazlenut / Textured

Profile Options

Select from one of our standard 2-piece click profile options.

Battens are available in 4m or 6m lengths and can be cut to size or fully customised to project requirements.

Contact our Architectural Team if you have any other profile requirements not listed.



30x50mm Batten



30x85mm Batten



50x50mm Batten



50x100mm Batten



100x100mm Batten



12x100mm Plank

Warranty

10 year warranty against splitting, warping, expanding, fade or insect damage. Suitable for high UV, high humidity and marine environments.

Installation

Concealed 2-piece direct fix clip system with a simple "fix and click" application. Screw the backing profile to the substrate or sub-frame and click in the main profile.

Maintenance

No maintenance required.

General cleaning and product checks recommended.

Full product and installation details available on request or at atkar.com.au/designerwood



Technical data

atkar.com.au/designerwood

Key Features

Substrate: Fibre cement

Application: Internal and external

Customisable: Cut to length available Weight: See below

Fire Compliance:

Non-combustible material: suitable where non-combustible materials are required in accordance with C1.12(d) of BCA

Finish Options

DesignerWood FC offers a unique colour system that looks like timber, but has the durability and fire compliance of fibre

With 5 standard colours within our range, we can also offer customised finishes to suit your project requirements.










Heritage Walnut

Profile Options

Select from one of the following sizes:

Length	Width	Thickness	Mass (kg/lth)
4200mm	45mm	19mm	3.2kg
4200mm	45mm	38mm	9kg



Installation

- Face fix
- > Rear fix (wall application only)
- > Aluminium 2-piece direct fix clip system

Maintenance

No maintenance required.

General cleaning and product checks recommended.

Warranty

10 year warranty against damage to substrate including cracking, moisture, rotting, fire and termites.

10 year warranty against damage to the finish including fading, cracking or peeling in normal weather conditions.

Full product and installation details available on request or at atkar.com.au/designerwood



Technical data atkar.com.au/cembrit

Key Features

Substrate: Fibre cement

Application: Internal and external

Weight: 11.6kg/m2

Fire Compliance:


- Non-combustible material: suitable where non-combustible materials are required in accordance with C1.12(d) of BCA.
- > Fire tested to EN 13501-1 (Reaction to fire): Classification A2-s1,d0

Colour Options

Cembrit Patina has a natural, textured surface. You can see the fibre and natural characteristics of the raw materials, and you can see and feel the sanding lines on the surface.

A unique quality of Cembrit Patina is that during the natural ageing of the fibre cement, it will leave subtle traces on the surface, and over time the façade will gradually acquire a distinctive 'patina'.

We offer a selection of 5 standard colours in the Patina range. Contact our team if you have additional colour preferences.







Dark Grey / P070





Light Grey / P020

Board Sizes

Cembrit Patina is available in 2 standard sizes.

Length	Width	Thickness	Mass (kg/m²)
2500mm	1250mm	8mm	11.6kg
3050mm	1250mm	8mm	11.6kg





Installation

- > Face fix to proprietary top hat framing system
- > Colour matched fixing screws

Custom Cutting Service

Atkar offers expert precision CNC cutting and customisation of fibre cement to meet project requirements.

Maintenance

No maintenance required.

General cleaning and product checks recommended.

Warranty

10 year manufacturer's warranty that guarantees that the product will be free from defects inherent in the materials.

Cembrit products are completely unaffected by frost, torrential downpours, heat, humidity and direct sunlight.

Full product and installation details available on request or at atkar.com.au/cembrit

Cembrit Solid Through Colour Fibre Cement façade with solid colour all the way through

Cembrit Solid in Black

Technical data atkar.com.au/cembrit

Key Features

Substrate: Fibre cement

Application: Internal and external **Weight:** 14.2kg/m2


Fire Compliance:

- Non-combustible material: suitable where non-combustible materials are required in accordance with C1.12(d) of BCA.
- > Fire tested to EN 13501-1 (Reaction to fire): Classification A2-s1,d0

Colour Options

Cembrit Solid boards are the same colour all the way through. Each of the core colours are matched with a full-coverage painted surface. This means if you choose Cembrit Solid boards to provide a facade with a particular colour, every board will feature that colour on every surface and edge, and with the same colour on the edges of any cut-outs or drilled holes.

We offer a selection of 5 standard colours in the Solid range. Contact our team if you have additional colour preferences.



Sandstone / S282

Board Sizes

Cembrit Solid is available in 2 standard sizes.

Length	Width	Thickness	Mass (kg/m²
2500mm	1250mm	8mm	14.2kg
3050mm	1250mm	8mm	14.2kg





Installation

- > Face fix to proprietary top hat framing system
- > Colour matched fixing screws

Custom Cutting Service

Atkar offers expert precision CNC cutting and customisation of fibre cement to meet project requirements.

Maintenance

White / S212

No maintenance required.

General cleaning and product checks recommended.

Warranty

10 year manufacturer's warranty that guarantees that the product will be free from defects inherent in the materials.

Cembrit products are completely unaffected by frost, torrential downpours, heat, humidity and direct sunlight.

Full product and installation details available on request or at atkar.com.au/cembrit

Acoustic Linings Solutions



Atkar Group specialises in a range of acoustic and architectural linings that are functional, beautiful and fully customisable. Our team will work with you to help deliver a seamless yet innovative design solution to suit the specifics of any project brief.



Au.diPanel Perforated timber panel




Au.diSlot Slotted timber panel



Au.diSlat Linear timber slat modules



Au.diTile Perforated timber ceiling tile



Au.diVent Slotted fibre cement panel



Au.diMicro Micro perforated timber panel



Au.diLux Perforated fibre cement panel



Au.diTone Continuous timber diffuser panel



Au.diLine Linear metal ceiling panel



Au.diBeam Large timber beams




Au.diStyle Decorative solid panel



Au.diTouch Fabric acoustic panel



Au.diGroove Continuous timber panel



Au.diBoard Circular perforated plasterboard



VoglFuge Continuous perforated plasterboard



Quantum **Essential** Modular acoustic

panels



Au.diPanel Graphic Perforated graphic

image



Mirage 3D 3D decorative panel



Mirage Screens Decorative screen



Mirage Graphic Custom graphic image panel

Infinity

Au.diTile

Premium Acoustic Linings

Au.diPanel Au.diLux
Au.diStyle
Au.diSlot Au.diLine
Au.diBeam Au.diTone
Au.diBoard Au.diTouch
Au.diMicro Au.diVent
Au.diGroove VoglFuge

Quantum

Modular Acoustic Linings

Quantum Essential

Horizons

Decorative Linings

Au.diPanel Graphic Mirage 3D Mirage Screens

Mirage Graphic

Vista

Architectural Linings & Claddings

DesignerWood Aluminium
DesignerWood FC

Cembrit Patina Through Colour Cembrit Solid Through Colour



atkargroup

Acoustic Linings | Wall & Ceiling Systems

Head Office

17–19 David Lee Road Hallam VIC 3803 Australia PO Box 1143 Narre Warren MDC 3805 t 03 9796 3333 f 03 9796 3389

WA/SA Region

PO Box 710 Joondalup DC 6919 t 08 6323 5662

atkar.com.au





