

# Made to Measure


## Steel Water Tanks



Experts In  
Steel Tanks



Made To  
Measure



# Quality, strength, durability, efficiency & style of steel

Kingspan manufactures and supplies long lasting, quality, made to measure AQUAPLATE® steel water tanks and accessories for Australian homes and businesses. We've been doing it for over 80 years. Tanks come with a 10 year construction warranty\* and 20 year warranty\* against corrosion.



## 20 Year Guarantee\* For total peace of mind


- Australian made using quality Bluescope AQUAPLATE® Steel
- Tanks meet Australian Standard AS4020 for storage of drinking water and carry watermark certification
- Choose from 4 different steel tank shapes
- Select from a range of dimensions available, or we offer made to measure tanks to perfectly fit your space
- Full range of Colorbond® colours available



## Proudly Australian Made

Your Tank comes with:

- Inlet strainer with light guard
- Fitted overflow with mosquito screen
- Fitted outlet with watermarked brass ball valve
- The ability to select fitting locations on your tank to save time and money on plumbing
- Finished in Galvanised or a Colorbond® colour of your choice
- Delivery to the tank base or concrete pad onsite^
- Industry leading 20 year corrosion warranty\* and 10 year construction warranty\*



Metropolitan delivery to the tank base or concrete pad onsite available – we won't leave the tank on your driveway.^

^ Site delivery to Sydney, Melbourne and Brisbane Metro areas included.


\* All our tanks come with a 10 year construction warranty and 20 year warranty against corrosion.

# Choose your tank in 5 easy steps

It's important that you get the tank that best suits your particular needs. Kingspan **made to measure** steel water tanks are designed to fit perfectly into your space and lifestyle.

STEP  
1


## Select the shape



### Slimline

A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available. Tailor the length, width and height to perfectly fit the space you have.


Capacities range from 600 litres up to 8,700 litres.



### Modline

These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank. They help maximise water storage capacity in tight spaces and can be tailored to fit as required.


Capacities range from 770 litres up to 9,000 litres.



### Round

Traditional round water tanks remain a popular choice, space permitting. Choose your diameter and height to perfectly fit the space you have.

Capacities range from 500 litres up to 29,000 litres.



### Square

The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.

Capacities range from 560 litres up to 7,900 litres.



STEP

2


## Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

### Slimline



Made to  
measure



A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available.

Here are some of our most popular tank sizes in the Slimline range.

2000 Litres*	3000 Litres*	5000 Litres*	7000 Litres*
700mmW	800mmW	1150mmW	1150mmW
1700mmL	2200mmL	2600mmL	3300mmL
1860mmH	1860mmH	1860mmH	2020mmH
Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering - 25 washing machine loads	Tank weight 90kg Good for - 509 toilet flushes - 3 hours of hand watering - 38 washing machine loads	Tank weight 110kg Good for - 839 toilet flushes - 5 hours of hand watering - 62 washing machine loads	Tank weight 145kg Good for - 1182 toilet flushes - 7 hours of hand watering - 88 washing machine loads

\* Note that maximum capacities differ depending on shape and measurements of tank.



Slimline in Galvanised finish




Modline in Galvanised finish

### Modline



Made to  
measure



These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank.

Here are some of our most popular tank sizes in the Modline range.

2000 Litres*	3000 Litres*	4000 Litres*	5000 Litres*
800mmW	800mmW	800mmW	800mmW
1400mmL	2000mmL	2600mmL	3200mmL
2020mmH	2020mmH	2020mmH	2020mmH
Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering - 25 washing machine loads	Tank weight 80kg Good for - 547 toilet flushes - 3 hours of hand watering - 41 washing machine loads	Tank weight 105kg Good for - 668 toilet flushes - 4 hours of hand watering - 50 washing machine loads	Tank weight 130kg Good for - 833 toilet flushes - 5 hours of hand watering - 62 washing machine loads

\* Note that maximum capacities differ depending on shape and measurements of tank.

**STEP**  
**2**


# Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

## Round



Made to measure



Traditional round water tanks remain a popular choice, space permitting.

Here are some of our most popular tank sizes in the Round range.

3000 Litres*	5000 Litres*	8000 Litres*	10000 Litres*
1860mmH	1860mmH	1860mmH	1860mmH
1500mmDia	1900mmDia	2400mmDia	2700mmDia
Tank weight 80kg Good for - 547 toilet flushes - 3 hours of hand watering - 41 washing machine loads	Tank weight 105kg Good for - 879 toilet flushes - 5 hours of hand watering - 65 washing machine loads	Tank weight 145kg Good for - 1402 toilet flushes - 8 hours of hand watering - 105 washing machine loads	Tank weight 170kg Good for - 1775 toilet flushes - 10 hours of hand watering - 133 washing machine loads

\* Note that maximum capacities differ depending on shape and measurements of tank.



Round in Galvanised finish




Square in Galvanised finish

## Square



Made to measure



The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.


Here are some of our most popular tank sizes in the Square range.

2000 Litres*	3000 Litres*	4000 Litres*	5000 Litres*
1100mmW	1300mmW	1500mmW	1700mmW
2020mmH	2020mmH	2020mmH	2020mmH
Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering - 25 washing machine loads	Tank weight 90kg Good for - 509 toilet flushes - 3 hours of hand watering - 38 washing machine loads	Tank weight 105kg Good for - 668 toilet flushes - 4 hours of hand watering - 50 washing machine loads	Tank weight 115kg Good for - 960 toilet flushes - 5 hours of hand watering - 72 washing machine loads

\* Note that maximum capacities differ depending on shape and measurements of tank.



Australian made water tanks using quality Bluescope Steel. Made to measure to work with your space and give you the perfect fit.



STEP  
3

# Select a colour

Choose from a huge range of Colorbond® colours, or go for a Galvanised steel finish.

## Colorbond®



Galvanised



Pale Eucalypt®




Paperbark®



Woodland Grey®



Monument®



Dune®



Surfmist®



Windspray®



Jasper®



Classic Cream®



Cove®




Ironstone®




Manor Red®



Cottage Green®



Terrain®



Deep Ocean®




Evening Haze®



Gully™




Basalt™



Night Sky®



Shale Grey™



Mangrove™



Wallaby™

The COLORBOND® steel colour swatches shown have been reproduced to represent actual product colours as accurately as possible.

However varying light conditions and limitations of the printing process may affect colour tones. Colorbond® colours are available as genuine or painted colours.

STEP

4

## Select fitting position

When placing your order you have the option to nominate your fitting locations.  
The standard fittings available are:



### INLET

400mm inlet strainer with light guard fitted in tank lid.



### OUTLET

25mm zinc outlet with water-marked brass ball valve fitted at the bottom of the corrugation of the tank wall.



### OVERFLOW

90mm (100mm NSW only) overflow with mosquito screen fitted on the top corrugation of the tank wall.

DEFAULT FITTING POSITION	INLETS	OUTLETS	OVERFLOW
<p>SLIMLINE</p>	<p>2 x 400mm inlet strainers with light guards Positions A &amp; C</p>	<p>1 x 25mm fitted outlet with watermarked ball valve Position 6</p>	<p>2 x 90mm (100mm NSW only) fitted overflows with mosquito screen Positions 6 &amp; 12</p>
<p>MODLINE</p>	<p>2 x 400mm inlet strainers with light guards Positions A &amp; C</p>	<p>1 x 25mm fitted outlet with watermarked ball valve Position 6</p>	<p>2 x 90mm (100mm NSW only) fitted overflows with mosquito screen Positions 6 &amp; 12</p>
<p>ROUND</p>	<p>1 x 400mm fitted Inlet strainer with light guard Position 12</p>	<p>1 x 25mm fitted outlet with watermarked ball valve Position 1</p>	<p>1 x 90mm (100mm NSW only) fitted overflow with mosquito screen Position 12</p>
<p>SQUARE</p>	<p>1 x 400mm fitted Inlet strainer with light guard Position 12</p>	<p>1 x 25mm fitted outlet with watermarked ball valve Position 1</p>	<p>1 x 90mm (100mm NSW only) fitted overflow with mosquito screen Position 12</p>



**STEP**  
**5**

## Select optional accessories

Select from a range of accessories and pumps including the Evolution MkIII pump and High-flow filter.

### Kingspan Evolution MkIII integrated pump system

- Offers the advantage of reducing installation time by half and saving costs, while improving the appearance of your tank system.
- Whole unit fits neatly on top of and inside the tank, instead of on the wall, resulting in a more efficient use of space and a better overall appearance.
- When the tank runs out of water or when there is a power outage, the pump automatically switches to mains water.

### These optional accessories come built into your tank.



Evolution MkIII

High-flow




### High-flow filter

- This innovative High-flow water filtration system is an Australian first, developed and manufactured exclusively by Kingspan.
- Designed to stop the common issue of overflow flooding, or dampness around the tank, the High-flow filter is designed to be the best filtration on the market.
- Has the ability to handle water collection from the entire roof area and can manage water flow rates of up to 600 litres per minute.

### Quick installation & neater appearance


Kingspan Steel Water Tank + Evo MkIII pump can be installed in half the time of other tank and pump systems, based on average installation time.



## Size-a-lator

### Can't find what you want?

Visit [kingspanwater.com.au/size-a-lator](http://kingspanwater.com.au/size-a-lator) and create a custom water tank in less than 60 seconds with the Kingspan Size-a-lator.





# Water tank order/enquiry form


**Enquiry** – For an Enquiry, tick this box, fill in the Customer Details and send this form to [sales.au@kingspan.com](mailto:sales.au@kingspan.com)

OR


**Order** – Email completed order form with copy of the purchase order to [sales.au@kingspan.com](mailto:sales.au@kingspan.com)

## 01 SHAPE (Refer to page 2)


Slimline




Modline



Round



Square



## 02 SIZE (Refer to page 3)

Width

Length

Height

## 03 COLOUR (Refer to page 4)

Galvanised

OR

Colorbond® Colour

## 04 FITTINGS POSITION (Refer to page 7)

Inlets

Default position

Outlets

Default position

Overflow

Default position

## 05 ACCESSORIES (Refer to page 8)

Evolution MkIII Integrated Pump System\*

High-flow Filter\*

OR Other:

\*only available as an option for Kingspan Made to Measure Tanks.

## 06 CUSTOMER DETAILS

Date

Purchase  
Order

Name


Site  
Address

Email


Phone

Special  
Instructions

Mobile



Made To Measure



A made to measure steel water tank maximises water storage capacity in any space.



## Need a larger tank?

Ask about Kingspan's Rhino Commercial and Rural range of water tanks – 26,000 to 365,000 litres and up to 2.3 million litres on custom commercial tanks.



#### OUR LOCATIONS

We manufacture at each of our three locations:

##### SYDNEY

02 8889 5400  
3 Herbert Place  
Smithfield NSW 2164

Deniliquin Warehouse/Depot  
Lot 2 Wakool Road  
Deniliquin NSW 2710

##### MELBOURNE

03 8364 0800  
860 Cooper Street  
Somerton VIC 3062

##### BRISBANE

07 3089 1000  
93 Magnesium Drive  
Crestmead QLD 4132

##### PERTH

14 Ballantyne Road  
Kewdale WA 6106

1300 736 562

kingspanwater.com.au  
sales.au@kingspan.com



#### PRODUCT WARRANTY\*

With a Kingspan tank, you can rest assured that you have support for the long term. Kingspan Environmental Pty Limited warrants the AQUAPLATE® range of steel water tanks as follows:

- 20 year minimum life prior to perforation due to corrosion, as detailed in the AQUAPLATE® product warranty\*.
- 10 year construction warranty\* covering the assembly and sealing of the tank.

